TABL	E OF T	RAIN SPE	EDS
Seconds per Mile	Miles per Hour	Seconds per Mile	Miles per Hour
40	90	62	58.1
42.4	85	63	57.1
45	80	64	56.3
46	78.3	65	55.4
47	76.6	66	54.5
48	75	67	53.7
49	73.5	68	52.9
50	72	69	52.2
51	70.6	70	51.4
52	69.2	75	48
53	67.9	80	45
54	66.7	85	42.4
55	65.5	90	40
56	64.3	100	36
57	63.2	120	30
58	62.1	144	25
59	61	180	20
60	60	240	15
61	59	360	10

CHICAGO, MILWAUKEE, ST. PAUL AND PACIFIC RAILROAD CO.

CHICAGO, BURLINGTON & QUINCY RAILROAD CO.

JOINT TIME TABLE No. 22

Taking effect at 2:01 A. M. Central Standard Time

Sunday, October 29, 1967

For the government and information of employes only

ST. CROIX TOWER TO ST. PAUL-WESTWARD

TIME TABLE			FIRST CLASS																					
No. 22		Office Hours	57	47	1	417	55	21	5	421	3	25												
October 29, 1967	nee from	Hours	C. M. St. P. & P. Passenger	C. B. & Q. Passenger	C. M. St. P. & P. Passenger	C.R.I.& P. Passenger 16	C. M. St. P. & P. Passenger	C. B. & Q. Passenger	C. M. St. P. & P. Passenger	C.R.I.& P. Passenger 18	C. M. St. P. & P. Passenger	C. B. & Q. Passenger												
STATIONS	Dista 84. Cr		Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily												
ST. CROIX TOWER		Continuous	4.12 M	6.29 AM	6.23 AM		10.01W	2.51 PM	5.57№		6.48 PM	7.20 PM												
CURRY	5.0	No Office																				_		
ST. PAUL PARK	10.7	No Office																						_
NEWPORT	11.9	Continuous				7-11 AM				6.16 PM											 			_
RED ROCK	13.0	No Office																				_		
DUNN	14.8	No Office																						
OAKLAND	16.4	Continuous																						
DAYTONS BLUFF	17.7	No Office	1																					
HOFFMAN AVENUE	18.6	Continuous																						
DIVISION STREET		No Office																						
ST. PAUL	20.0	6.00 AM to 12.01 AM	A 4.45 M	A 7.20 AM	A 7.00 AM	A 7.35 A	A10.40M	A 3.40 PM	A 6.25 PM	A 6.30 PM	A 7.15 PM	A 8.00 PM												

R. A. MOLITOR, Chief Dispatcher, Cicero, III. J. A. BEEBE, Superintendent of Terminals, Dayton Bluff, Minn. J. D. LARSON, Assistant Superintendent, North La Crosse, Wis. C. J. MILLER, Superintendent, Cicero, III. Train Dispatchers, Newport.
F. W. WALTON, P. A. MADSEN,
H. E. OTTERNESS, C. MILLER.
J. B. DALEY,

TRACK OPERATED BY CHICAGO, MILWAUKEE, ST. PAUL & PACIFIC RAILROAD CO.

ST. PAUL TO ST. CROIX TOWER—EASTWARD

TIME TABLE		Capacity in Cars		FIRST CLASS																				
No. 22	_		-	6	32	58	420	2	24		416	48	4											
October 29, 1967	ce fron			C. M. St. P. & P. Passenger	C. B. & Q. Passenger	C. M. St. P. & P. Passenger	C.R.I.& P. Passenger 17	C. M. St. P. & P. Passenger	C. B. & Q. Passenger	C. M. St. P. & P. Passenger	C. R. I.& P. Passenger 15	C. B. & Q. Passenger	C. M. St. P. & P. Passenger											
STATIONS	Distance St. Paul	Siding	Other	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily											
T. CROIX TOWER	18.4			A 8.23 AM	A 8.30 AM	A10.30 AN	1	A12.58 PM	▲ 4.35 PM	A 8.34 PM		A11.30PM	A11.40PM											
CHEMOLITE 6.3	14.4	35																			 			
NEWPORT	8.1		119				A11.25AM				A 8.50 PM													
RED ROCK	7.0																							
OAKLAND	3.6	-	Yard																					
DAYTONS BLUFF	2.3		Yard																					
OFFMAN AVENUE	1.4																							
DIVISION STREET	0.8																							
ST. PAUL			Yard	8.05 AM	8.10 AM	10.10AN	11.15AM	12.40 PM	4.20 PM	8.15 PM	8.40 PM	11.10P	11.20PM											

A. G. BEAUVIAS, G. A. McCOLE, S. C. PULFORD, S. J. BARRY, Trainmasters

D. K. KRIDER, Traveling Engineer-Trainmaster C. D. ANDERSON, Ass't Supt. E. P. SNEE, Ass't. Supt. N. H. McKEGNEY, Superintendent H. M. HARRIS, Chief Dispatcher, La Crosse, Wis. C. Y. DEMSEY, Traveling Engineer-Trainmaster J. R. WERNER, Assistant Superintendent, La Crosse, Wis. M. T. SEVEDGE, Superintendent, La Crosse, Wis.

T. C. T. St. Paul

Between St. Croix Tower and Newport

Between Newport and St. Paul

SPEED RESTRICTIONS

Location	Passenger Trains M. P. H.	Trains
Maximum SpeedEastward track Westward track Operating against current of traffic	79 79 59	60 50 49
Trains making back-up movement on the west- ward track between St. Croix tower and St. Paul.	20	20
All crossovers, turnouts and sidings unless otherwise specified	10	10
St. Paul Yard, and through crossovers between Eastward and Westward tracks at Oakland St. Croix Interlocking	25	25
Eastward track	40	25
Westward track	30	25
CB&Q Eastward track	30	25
CB&Q Westward track Between St. Croix Tower and MP 415.25Q	30	25
Westward track Between MP 415.25Q and MP 418.25Q West-	55	40
ward track Between MP 406.50 CMStP&P and Daytons	60	40
Bluff Westward track Through Interlockings at	75	
Oakland	75	
Hoffman Avenue	45	25
Division Street	30	25
Eastward track	75	
CMStP&P Eastward track Between MP 395.60 CMStP&P and St. Croix	75	
Tower Eastward track	55	35

SPECIAL INSTRUCTIONS

The two main tracks of the C.M.St.P.&P. and C.B.&Q. Railroads between St. Croix Tower and St. Paul are used as joint tracks. The C.M.St.P.&P. operate the eastward track and train orders will be issued over the signatures of the Superintendent at La Crosse. The C.B.&Q. operate the westward track and train orders will be issued over the signature of the Superintendent at Cicero.

These tracks are operated as double track. Unless otherwise provided by train order, trains must keep to the left. ABS is in use between St. Croix Tower and Division Street.
Rules 251, 252, 253 and 254 are in effect—EXCEPT CTC is in use on westward track between M.P. 403.43 and M.P. 406.34 and is controlled

by the train dispatcher at Newport.

C.M.St.P.&P. Automatic Block and Interlocking signal aspects apply between Newport and St. Paul on westward track and between Newport and St. Croix Tower on eastward track.

C.B.&Q. Automatic Block and Interlocking signal aspects apply between St. Croix Tower and Newport on westward track and between St. Paul and Newport on eastward track.

In compliance with Rule D-91, the following will apply:

Where trains are to be moved against the current of traffic, following trains will not be permitted to enter the block until the preceding train is clear of the block.

Stop indication must be displayed immediately after rear of a train has passed the signal, and following trains will not be permitted to enter the block until it is clear of the preceding train.

Rules 91 and 91-A do not apply for movements against the current

Protection against following trains on the same track is not required of trains moving against the current of traffic. This provision does not apply to any unit of equipment which does not actuate block or cab signals, or to a work extra.

Extra trains may be operated on eastward and westward tracks with current of traffic without train orders.

Rule 83(B) does not apply at St. Croix Tower, Newport and Oakland if train order signal indicates proceed and only applies to eastward C.B.&Q. passenger trains at St. Paul. Such trains must obtain both a C.M.St.P.&P. and a C.B.&Q. clearance.

Interlockings are located at St. Croix Tower, Newport, Oakland, Hoffman Avenue and Division Street.

&P. trains will use joint tracks between Newport and St. Paul.

Train order signal at Newport does not govern C.R.I.&P. trains leaving C.M.St.P.&P.-C.B.&Q. joint tracks.

At Oakland, the westward train order signal does not govern trains terminating at Oakland or Daytons Bluff.

The Consolidated Code of Operating Rules, Edition of 1967, in addition to the following instructions will govern employes while operating on Minnesota Transfer Railway Co. and The St. Paul Union Depot Company trackage:-

(a) All trackage of the Minnesota Transfer Railway Company is defined as a system of tracks within yard limits over which movements must be made at reduced speed and are not authorized by time-table, or train order, but subject to prescribed signals and rules or special

The limits of The Saint Paul Union Depot Company property extend from connection with the Northern Pacific Ry. and Great Northern Ry. tracks at Third Street and connection with the C.M.St.P.&P.-C.B.&Q. R.R. tracks opposite depot round-house, on the east, to connection with the C.G.W. Ry. and C.M.St.P.&P. R.R. tracks at Robert Street on the west.

(b) The time-table of The Saint Paul Union Depot Company is for information only. Employes of railroads using the tracks of this Company will be governed by current time-table of their respective Companies only as to arriving and departing time of trains.

(c) Where in the rules of the Consolidated Code reference is made to trains, such rules will also apply to yard movements and engines.

(d) Under Rule 10, the use of torpedoes is prohibited.

(e) Under Rule 11, burning fusees must not be used except in case of emergency and then only when held in hand and must be extin-guished before leaving.

(f) There is no superiority of trains within the limits of The Saint Paul Union Depot Company property.

(g) Within the limits of The Saint Paul Union Depot Company property trains and engines must move at restricted speed and must not exceed ten (10) miles per hour through crossovers, turnouts and puzzle

The entrance to and all movements on this property will be made only on authority of hand signals from switch tenders. No train or engine may foul any track or puzzle switch without authority of hand signals from switch tenders in control of such movements, except that short interior switching movements may be made through crossovers connecting shed tracks when authorized by train director.

Any lead or track may be used for the make-up of trains on authority of train director. The movement of trains should be given preference.

Switchtenders are equipped with yellow lightbulbs in their lanterns so as to distinguish their signals from other signals.

(h) When indicated by the ringing of the bell, flashing of headlight, (n) when indicated by the ringing of the bell, hashing of headinght, hand or light signal that a train or engine is ready to move, the switch-tender in charge of the shed track on which the movement is standing will handle as follows: at west end of station the switchtender will control the movement by hand or light signal; at the east end of station the switchtender will inform the train director, who will route the movement by instructions over the public address system. Switchtenders will be governed by these instructions, relaying such instructions by hand or light signal to the next switchtender in the direction of the movement, each must receive an acknowledgment before signalling the movement. Signals must not be acknowledged or acted upon unless the signal corresponds with instructions from the train director and is definitely understood.

(i) When backing, the back-up air brake valve on passenger trains must be operated by the conductor, except in the movement of empty equipment, it may be operated by a competent trainman or yardman. When practicable, conductors must see that trainmen are stationed so hand or light signals may be used, in case of any emergency.

When backing a train, the engine brake valve must be in running position; an application of the brakes must be made with back-up air brake valve before starting and it must be known that the brakes are in operative condition. Movement must not be started until the proper signal is given. A running test must be made with the back-up air brake valve before the train has moved 300 feet; if the running test is not made within 300 feet the engineer must stop the train and ascerticing the started of th tain cause. The speed of train must not exceed eight (8) miles per hour and train must be under such control that it can be stopped short of train, or obstruction, and short of bumping post on stub tracks.

(j) Headlights must be dimmed while on shed tracks.

(k) Vestibule doors are to remain closed when trains are pulling or backing into the St. Paul Union Depot until the train comes to a com-